

Part number:
T127451

Copyright

© 2012, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

April 26, 2012, 03:43 AM

Corporate Headquarters

FLIR Systems, Inc.
27700 SW Parkway Ave.
Wilsonville, OR 97070
USA
Telephone: +1-503-498-3547

Website

<http://www.flir.com>

Customer support

<http://support.flir.com>

Legal disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply.

Information and equipment described herein may require US Government authorization for export purposes. Diversion contrary to US law is prohibited.



General description

FLIR Reporter Professional is a powerful software for creating compelling and professional, fully customized, easy-to-interpret maintenance reports.

Professional Report Wizard guides you step-by-step in combining all IR inspection data - infrared and visual images, temperature measurements, and text notes - into a professional, easy-to-interpret maintenance report.

Key features:

- Flexible report page design and layout for customized reports
- Use quick insert function to easily create custom report pages
- Fully integrated with standard Microsoft Word
- Generates reports in standard MS Office format and PDF-format
- Powerful temperature analysis
- Triple Fusion Picture-in-Picture (movable, sizable, scalable)
- Rapid report manager supporting automatic report generation by drag-and-drop
- Support for MSX (Multi-Spectral Dynamic Imaging) images
- Support for sketch images in both IR and visual with on/off toggling
- Support for same FOV ("Field of View Match")
- Grid settings
- Trending functionality
- Automatic link to Google™ Maps for images with GPS coordinates
- Automatic summary table for the report
- Fine tune images and make full temperature analysis directly in Microsoft Word
- Spell check
- Create your own formulas including measurement values from images
- Play radiometric sequences directly in the report
- Search functionality to quickly finding images for your report
- Panorama tool for combining several images to a larger image
- Support for GF series IR images
- Auto Update function
- Office 2003 (32-bit), Office 2007 (32-bit) and Office 2010 (32-bit)
- Windows 7 (32 and 64-bit), Windows Vista (32 and 64-bit)
- Support for MeterLink™ data
- *.docx compatibility

Download

Download your copy of FLIR Reporter Professional here:

<http://support.flir.com/reporter>

Release notes

Version	9.0
New features	<ul style="list-style-type: none">• --- News in 9.0: ---• Support for MSX (Multi-Spectral Dynamic Imaging) images.• Support for sketch images in both IR and visual with on/off toggling.• Support for same FOV ("Field of View Match").• Grid settings.• New user interface for New Report and Pro Wizard.• New templates.• Various bug fixes.• --- News in SP4: ---• Big endian issue of DC images resolved.• IR Table labels can be changed.• IR Summary Table labels can be changed.• Various bug fixes.



FLIR Reporter Professional (license only)

P/N: T127451

© 2012, FLIR Systems, Inc.
All rights reserved worldwide.

Shipping information

- FLIR Reporter Professional scratch card

System requirements

Operating system	<ul style="list-style-type: none">• Windows XP, 32-bit• Windows Vista, 32-bit• Windows Vista, 64-bit• Windows 7, 32-bit• Windows 7, 64-bit
Software requirements	<ul style="list-style-type: none">• Office 2003 (32-bit)• Office 2007 (32-bit)• Office 2010 (32-bit)

Compatible with the following products

- 40402-3001 FLIR P660 12°
- 40402-3002 FLIR P660 24°
- 40402-3003 FLIR P660 45°
- 40402-3101 FLIR P640 12°
- 40402-3102 FLIR P640 24°
- 40402-3103 FLIR P640 45°
- 40402-3202 FLIR P630 24°
- 40402-3302 FLIR P635 24°
- 40402-3402 FLIR P620 24°
- 40402-3403 FLIR P620 45°
- 40402-3801 FLIR B660 12°
- 40402-3802 FLIR B660 24°
- 40402-3803 FLIR B660 45°
- 40402-3902 FLIR B620 24°
- 40402-3903 FLIR B620 45°
- 40402-3501 FLIR SC660 12°
- 40402-3502 FLIR SC660 24°
- 40402-3503 FLIR SC660 45°
- 40402-3601 FLIR SC640 12°
- 40402-3602 FLIR SC640 24°
- 40402-3603 FLIR SC640 45°
- 40402-3702 FLIR SC620 24°
- 40402-3703 FLIR SC620 45°
- 55901-3111 FLIR T600 15°
- 55901-2101 FLIR T600 15° (incl. Wi-Fi)
- 55901-3112 FLIR T600 25°
- 55901-2102 FLIR T600 25° (incl. Wi-Fi)
- 55901-3113 FLIR T600 45°
- 55901-2103 FLIR T600 45° (incl. Wi-Fi)
- 55901-4111 FLIR T600bx 15°
- 55901-4101 FLIR T600bx 15° (incl. Wi-Fi)
- 55901-4112 FLIR T600bx 25°
- 55901-4102 FLIR T600bx 25° (incl. Wi-Fi)
- 55901-4113 FLIR T600bx 45°
- 55901-4103 FLIR T600bx 45° (incl. Wi-Fi)
- 55901-3211 FLIR T610 15°
- 55901-2201 FLIR T610 15° (incl. Wi-Fi)
- 55901-3212 FLIR T610 25°
- 55901-2202 FLIR T610 25° (incl. Wi-Fi)
- 55901-3213 FLIR T610 45°
- 55901-2203 FLIR T610 45° (incl. Wi-Fi)
- 55901-3311 FLIR T620 15°
- 55901-2301 FLIR T620 15° (incl. Wi-Fi)
- 55901-3312 FLIR T620 25°
- 55901-2302 FLIR T620 25° (incl. Wi-Fi)
- 55901-3313 FLIR T620 45°
- 55901-2303 FLIR T620 45° (incl. Wi-Fi)
- 55901-4311 FLIR T620bx 15°
- 55901-4301 FLIR T620bx 15° (incl. Wi-Fi)
- 55901-4312 FLIR T620bx 25°
- 55901-4302 FLIR T620bx 25° (incl. Wi-Fi)
- 55901-4313 FLIR T620bx 45°
- 55901-4303 FLIR T620bx 45° (incl. Wi-Fi)
- 55902-3411 FLIR T630 15°
- 55902-2401 FLIR T630 15° (incl. Wi-Fi)
- 55902-3412 FLIR T630 25°
- 55902-2402 FLIR T630 25° (incl. Wi-Fi)
- 55902-3413 FLIR T630 45°
- 55902-2403 FLIR T630 45° (incl. Wi-Fi)
- 55902-3511 FLIR T640 15°
- 55902-2501 FLIR T640 15° (incl. Wi-Fi)
- 55902-3512 FLIR T640 25°
- 55902-2502 FLIR T640 25° (incl. Wi-Fi)
- 55902-3513 FLIR T640 45°
- 55902-2503 FLIR T640 45° (incl. Wi-Fi)
- 55902-4511 FLIR T640bx 15°
- 55902-4501 FLIR T640bx 15° (incl. Wi-Fi)
- 55902-4512 FLIR T640bx 25°
- 55902-4502 FLIR T640bx 25° (incl. Wi-Fi)
- 55902-4513 FLIR T640bx 45°
- 55902-4503 FLIR T640bx 45° (incl. Wi-Fi)



P/N: T127451

© 2012, FLIR Systems, Inc.
All rights reserved worldwide.

Compatible with the following products

- 40206-0102 FLIR T200
- 45606-0201 FLIR T200 (9 Hz)
- 40205-0201 FLIR T250
- 45605-0201 FLIR T250 (9 Hz)
- 45605-0201-1 FLIR T250 (9 Hz) + EX845
- 45305-0201 FLIR T300 (30 Hz)
- 45004-0201 FLIR T330 (50 Hz)
- 45311-0201 FLIR T335 (30 Hz)
- 45311-0201-1 FLIR T335 (30 Hz) + EX845
- 45609-0201 FLIR T335 (9 Hz)
- 45609-0201-1 FLIR T335 (9 Hz) + EX845
- 45002-0201 FLIR T340 (50 Hz)
- 45302-0201 FLIR T360 (30 Hz)
- 37705-0102 FLIR T360 (9 Hz)
- 45309-0201 FLIR T365 (30 Hz)
- 45309-0201-1 FLIR T365 (30 Hz) + EX845
- 45602-0201 FLIR T365 (9 Hz)
- 45602-0201-1 FLIR T365 (9 Hz) + EX845
- 45001-0202 FLIR T390 (50 Hz)
- 45301-0202 FLIR T400 (30 Hz)
- 45307-0202 FLIR T425 (30 Hz)
- 45307-0202-1 FLIR T425 (30 Hz) + EX845
- 45601-0202 FLIR T425 (9 Hz)
- 45601-0202-1 FLIR T425 (9 Hz) + EX845
- 40208-0102 FLIR B200
- 45608-0201 FLIR B200 (9 Hz)
- 40207-0201 FLIR B250
- 45607-0201 FLIR B250 (9 Hz)
- 45607-0201-1 FLIR B250 (9 Hz) + MO297
- 45306-0201 FLIR B300 (30 Hz)
- 45312-0201 FLIR B335 (30 Hz)
- 45312-0201-1 FLIR B335 (30 Hz) + MO297
- 45610-0201 FLIR B335 (9 Hz)
- 45610-0201-1 FLIR B335 (9 Hz) + MO297
- 45304-0201 FLIR B360 (30 Hz)
- 37706-0102 FLIR B360 (9 Hz)
- 45310-0201 FLIR B365 (30 Hz)
- 45310-0201-1 FLIR B365 (30 Hz) + MO297
- 45604-0201 FLIR B365 (9 Hz)
- 45604-0201-1 FLIR B365 (9 Hz) + MO297
- 45303-0202 FLIR B400 (30 Hz)
- 45308-0202 FLIR B425 (30 Hz)
- 45308-0202-1 FLIR B425 (30 Hz) + MO297
- 45603-0202 FLIR B425 (9 Hz)
- 45603-0202-1 FLIR B425 (9 Hz) + MO297
- 62101-0202 FLIR T420 25°
- 62101-0101 FLIR T420 25° (incl. Wi-Fi)
- 62101-0602 FLIR T420bx 25°
- 62101-0501 FLIR T420bx 25° (incl. Wi-Fi)
- 62101-0402 FLIR T440 25°
- 62101-0301 FLIR T440 25° (incl. Wi-Fi)
- 62101-0802 FLIR T440bx 25°
- 62101-0701 FLIR T440bx 25° (incl. Wi-Fi)
- 62102-1004 FLIR T450sc 25°
- 62102-0903 FLIR T450sc 25° (incl. Wi-Fi)
- 2470422710US B2 indigo version
- 59601-0101 FLIR GF304 14.5°
- 59602-0101 FLIR GF304 14.5° Fixed lens
- 59601-0102 FLIR GF304 24°
- 59602-0102 FLIR GF304 24° Fixed lens
- 44201-0101 FLIR GF306 14.5°
- 44202-0101 FLIR GF306 14.5° Fixed lens
- 44201-0102 FLIR GF306 24°
- 44202-0102 FLIR GF306 24° Fixed lens
- 44601-0101 FLIR GF309 14.5°
- 44602-0101 FLIR GF309 14.5° Fixed lens
- 44601-0102 FLIR GF309 24°
- 44602-0102 FLIR GF309 24° Fixed lens
- 44401-0101 FLIR GF320 14.5°
- 44402-0101 FLIR GF320 14.5° Fixed lens
- 44401-0102 FLIR GF320 24°
- 44402-0102 FLIR GF320 24° Fixed lens
- 57501-0102 FLIR GF335 24°
- 59801-0101 FLIR GF346 14.5°
- 59802-0101 FLIR GF346 14.5° Fixed lens
- 59801-0102 FLIR GF346 24°
- 59802-0102 FLIR GF346 24° Fixed lens
- 39302-0204 Exttech i5
- 39302-0504 Exttech IRC30
- 39301-0403 FLIR i3
- 39301-0103 FLIR i5
- 39301-0305 FLIR i7
- 60101-0101 FLIR i3
- 60101-0201 FLIR i5
- 60101-0301 FLIR i7
- 49001-1801 FLIR E30
- 49001-1901 FLIR E30bx
- 49001-0101 FLIR E33



P/N: T127451

© 2012, FLIR Systems, Inc.
All rights reserved worldwide.

Compatible with the following products

- 49001-2201 FLIR E40
 - 49001-2001 FLIR E40 (incl. Wi-Fi)
 - 49001-2401 FLIR E40bx (incl. Wi-Fi)
 - 49001-2301 FLIR E50
 - 49001-2101 FLIR E50 (incl. Wi-Fi)
 - 49001-2501 FLIR E50bx (incl. Wi-Fi)
 - 49001-1602 FLIR E60
 - 49001-0602 FLIR E60 (incl. Wi-Fi)
 - 49001-1002 FLIR E60bx (incl. Wi-Fi)
 - 49001-2602 FLIR E63 (incl. Wi-Fi)
 - 49001-0201 FLIR E65
-